

#### SAFETY DATA SHEET

## MOPAR SEALANT ATF-RTV

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name

MOPAR SEALANT ATF-RTV

Product no.

5010884AX

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Sealant

Uses advised against

The product may only be used in accordance with the area of application specified above. If, nonetheless, the product is used outside the specified scope, please contact the supplier.

1.3. Details of the supplier of the safety data sheet

### Company and address

### Klintberg & Way Parts AB

Haukadalsgatan 5

164 40 KISTA

Sweden

+46 (0)8 6808800

www.kwparts.com

E-mail

info@kwparts.com

Revision

17-02-2022

**SDS Version** 

3.0

Date of previous version

2021-04-08 (2.0)

### 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

#### SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Aquatic Chronic 1; H410, Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazard pictogram(s)



Signal word

Warning

Hazard statement(s)

Very toxic to aquatic life with long lasting effects. (H410)

Safety statement(s)

General

3011





#### Prevention

Avoid release to the environment. (P273)

Response

-

Storage

\_

### Disposal

Dispose of contents/container to an approved waste disposal plant. (P501)

### Hazardous substances

octamethylcyclotetrasiloxane; octamethylcyclotetrasiloxane; [D4]

### 2.3. Other hazards

### Additional labelling

Not applicable

### Additional warnings

This product contains a vPvB and/or PBT substance:

octamethylcyclotetrasiloxane; octamethylcyclotetrasiloxane; [D4] (PBT)

### SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
polydimethylsiloxane	CAS No.: 70131- 67-8	50-<60%		
	EC No.: 615-070-			
	REACH:			
	Index No.:			
Siloxanes and Silicones, di-Me hydroxy terminated	CAS No.: 70131- 67-8	10-<20%		
	EC No.: 615-070- 3			
	REACH:			
	Index No.:			
Siloxanes and Silicones, di-Me, polymers with Me silsesquioxanes, hydroxy-terminated	CAS No.: 68554- 67-6	10-<20%		
	EC No.: 614-608- 4			
	REACH:			
	Index No.:			
Silane, dichlorodimethyl-, reaction products with silica	CAS No.: 68611- 44-9	10-<20%		
	EC No.: 271-893- 4			
	REACH:			

MOPAR SEALANT ATF-RTV Page 2 of 12



	Index No.:			
octamethylcyclotetrasiloxane;octamethylcyclotetrasiloxane; [D4]	CAS No.: 556-67-2  EC No.: 209-136-7  REACH: 01-2119529238-36-XXXX  Index No.: 014-	1-<3%	Flam. Liq. 3, H226 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=10) Repr. 2, H361f	[3], [5], [6], [7]
Limestone	018-00-1 CAS No.: 1317-	< 1%	Skin Irrit. 2, H315 Eye Dam. 1, H318	
	65-3 EC No.: 215-279- 6		STOT SE 3, H335	
	REACH:			
	Index No.:			

-----

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

- [3] According to UK REACH, Annex XVII, the substance is subject to restrictions.
- [5] Substance is included in the Candidate List of substances of very high concern (SVHC).
- [6] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [7] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

#### SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

In case of uncertainty on how to treat an exposed person, call the National Poisons Information Service immediately.

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

#### Eye contact

To avoid irritation flush with soft water jet or eye wash fluid for at least 5 minutes. In case of persistent symptoms (intense burning, pain, sensitivity to light, visual disturbance) continue flushing and contact/seek a hospital or doctor.

#### Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

#### Burns

Not applicable

MOPAR SEALANT ATF-RTV Page 3 of 12



#### 4.2. Most important symptoms and effects, both acute and delayed

No special

### 4.3. Indication of any immediate medical attention and special treatment needed

No special

#### Information to medics

Bring this safety data sheet or the label from this product.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2).

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

#### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Always wear gloves and protective clothing when in contact with chemical substances.

No specific requirements

### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

#### 6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

### 6.4. Reference to other sections

See section 13 on "Disposal considerations" in regard of handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

### SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

A risk assessment of the handling shall always be prepared based on the specific conditions prevailing at the workplace. The risk assessment shall be used as basis for preparing appropriate instructions for the safe handling of the product.

It is recommended to install waste collection trays in order to prevent emissions to the waste water system and surrounding environment.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

### Recommended storage material

Keep only in original packaging.





### Storage temperature

Dry, cool and well ventilated

### Incompatible materials

Strong acids, bases, oxidizing agents and reducing agents.

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Dust

Long term exposure limit (8 hours) (mg/m³): 10 (Inhalable dust) 4 (respirable dust)

Limestone

Long term exposure limit (8 hours) (mg/m³): 10(inhalable)/4(respirable)

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

#### **DNEL**

Product/substance	octamethylcyclotetrasiloxane;octamethylcyclotetrasiloxane; [D4]
DNEL	73 mg/m³
Route of exposure	Inhalation
Duration	Long term – Systemic effects - Workers
Product/substance	octamethylcyclotetrasiloxane;octamethylcyclotetrasiloxane; [D4]
DNEL	73 mg/m³
Route of exposure	Inhalation
Duration	Long term – Local effects - Workers
Product/substance	octamethylcyclotetrasiloxane;octamethylcyclotetrasiloxane; [D4]
DNEL	13 mg/m³
Route of exposure	Inhalation
Duration	Long term – Systemic effects - General population
Product/substance	octamethylcyclotetrasiloxane;octamethylcyclotetrasiloxane; [D4]
DNEL	13 mg/m³
Route of exposure	Inhalation
Duration	Long term – Local effects - General population
Product/substance	octamethylcyclotetrasiloxane;octamethylcyclotetrasiloxane; [D4]
DNEL	3,7 mg/kg bw/day
Route of exposure	Oral
Duration	Long term – Systemic effects - General population
Product/substance DNEL Route of exposure Duration	octamethylcyclotetrasiloxane;octamethylcyclotetrasiloxane; [D4]

### **PNEC**

Product/substance octamethylcyclotetrasiloxane; [D4]

MOPAR SEALANT ATF-RTV Page 5 of 12



PNEC Route of exposure Duration of Exposure	1,5 μg/L Freshwater Continuous
Product/substance PNEC Route of exposure Duration of Exposure	octamethylcyclotetrasiloxane;octamethylcyclotetrasiloxane; [D4] 0,15 µg/L Freshwater Continuous
Product/substance PNEC Route of exposure Duration of Exposure	octamethylcyclotetrasiloxane;octamethylcyclotetrasiloxane; [D4] 10 mg/L Sewage treatment plant Continuous
Product/substance PNEC Route of exposure Duration of Exposure	octamethylcyclotetrasiloxane;octamethylcyclotetrasiloxane; [D4] 3 mg/kg dw Freshwater sediment
Product/substance PNEC Route of exposure Duration of Exposure	octamethylcyclotetrasiloxane;octamethylcyclotetrasiloxane; [D4] 0,3 mg/kg dw Marine water sediment
Product/substance PNEC Route of exposure Duration of Exposure	octamethylcyclotetrasiloxane;octamethylcyclotetrasiloxane; [D4] 0,54 mg/kg dw Soil
Product/substance PNEC Route of exposure Duration of Exposure	octamethylcyclotetrasiloxane;octamethylcyclotetrasiloxane; [D4] 41 mg/kg food Predators

### 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

In case of simultaneous exposure to several air pollutants, their combined effects shall be considered. In assessing exposure conditions, the body weight and absorption of certain substances through the skin shall be taken into account in addition to the concentration of air pollutants in inhaled air. The person who plans and carries out the air pollution measurement shall have sufficient knowledge to do so. Measurements shall be taken using appropriate methods and equipment. Exposure measurements relate to conditions during normal operation. Where necessary, they shall also highlight the exposure under other conditions. Exposure measurements shall be taken in the breathing zone on a sufficient number of persons to make it possible to assess the exposure of all exposed persons.

#### Exposure scenarios

There are no exposure scenarios implemented for this product.

#### Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

### Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency

MOPAR SEALANT ATF-RTV Page 6 of 12



eyewash and -showers are clearly marked.

### Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

### Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

### Individual protection measures, such as personal protective equipment

Use only CE marked protective equipment.

### **Respiratory Equipment**

Type	Class	Colour	Standards
Respiratory protection is not needed in the event of adequate ventilation	-	-	-
Combination filter A + P3	If there is a risk of exposure to vapor or aerosol, use combination filter against organic gases and vapors (type A), and particulate filter (type P3).	Brown/White	P3 (EN 140, EN 143, EN 149)

#### Skin protection

Recommended	Type/Category	Standards	
Dedicated work clothing should be worn	-	-	P



### Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	> 0,4	> 480	EN374	



### Eye protection

Type	Standards
No specific requirements	-

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state

Paste

Colour

Black

Odour / Odour threshold

Sourish

рН

No data available

Density (g/cm³)

No data available

Relative density

1.06

Kinematic viscosity



No data available

Particle characteristics

No data available

Phase changes

Melting point/Freezing point (°C)

No data available

Boiling point (°C)

No data available

Vapour pressure

No data available

Relative vapour density

No data available

Decomposition temperature (°C)

Not applicable

Data on fire and explosion hazards

Flash point (°C)

> 94

Ignition (°C)

No data available

Auto flammability (°C)

No data available

Lower and upper explosion limit (% v/v)

No data available

Solubility

Solubility in water

Insoluble

n-octanol/water coefficient

No data available

Solubility in fat (g/L)

No data available

9.2. Other information

Evaporation rate (n-butylacetate = 100)

< 1 BuAC = 1

VOC (g/L)

26

Other physical and chemical parameters

No data available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

No special

10.4. Conditions to avoid

No special

10.5. Incompatible materials

Strong acids, bases, oxidizing agents and reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

### SECTION 11: Toxicological information



### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation

Based on available data, the classification criteria are not met.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Skin sensitisation

Based on available data, the classification criteria are not met.

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

### Reproductive toxicity

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

### Long term effects

No special

### Endocrine disrupting properties

No special

### Other information

The assessment of the properties of the constituents is based primarily on information in the ECHA database of registered substances, and the classification and labelling register.

### SECTION 12: Ecological information

#### 12.1. Toxicity

No data available

### 12.2. Persistence and degradability

No data available

### 12.3. Bioaccumulative potential

Product/substance octamethylcyclotetrasiloxane; [D4]

Test method

Potential Yes

bioaccumulation

LogPow No data available

BCF 14900

Other information

### 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

This product contains a vPvB and/or PBT substance:

octamethylcyclotetrasiloxane; cctamethylcyclotetrasiloxane; [D4] (PBT)

### 12.6. Endocrine disrupting properties

No special

## 12.7. Other adverse effects



The assessment of the properties of the constituents is based primarily on information in the ECHA database of registered substances, and the classification and labelling register.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 14 - Ecotoxic

Dispose of contents/container (to an approved waste disposal plant, ).

Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

#### EWC code

08 04 09\* Waste adhesives and sealants containing organic solvents or other dangerous substances

15 01 10\* Packaging containing residues of or contaminated by dangerous substances

### Specific labelling

Before handling waste, see Section 8, Exposure controls/personal protection. Contamination of the product with hazardous substances during use cannot be ruled out and therefore the properties of the waste do not fully correspond to those of the original product. It is therefore always the user's responsibility to classify the waste. Hazardous waste shall be transported to an approved waste facility by an authorised carrier.

#### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

### **SECTION 14: Transport information**

#### 14.1. - 14.4.

This product is within scope of the regulations of transport of dangerous goods.

These substances when carried in single or combination packaging's containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids, are not subject to any other provisions of ADR/IMDG/IATA provided the packaging's meet the general provisions of 4.1.1.1, 4.1.1.2, 4.1.1.4 - 4.1.1.8 (ADR, IMDG) / 5.0.2.4.1, 5.0.2.6.1.1, 5.0.2.8 (IATA)

#### ADR/RID

UN- or ID number	UN proper shipping name	Labels	Packing group	Tunnel restriction code
3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	9	III	3 (-)

### **IMDG**

UN- or ID number	UN proper shipping name	Labels	Packing group	EmS
3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	9	III	F-A, S-F

#### MARINE POLLUTANT

Yes

#### **IATA**

UN- or ID number	UN proper shipping name	Labels	Packing group
3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	9	III

### 14.5. Environmental hazards

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

### 14.6. Special precautions for user

Not applicable

MOPAR SEALANT ATF-RTV Page 10 of 12



### 14.7. Maritime transport in bulk according to IMO instruments

No data available

#### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

No special

Demands for specific education

No specific requirements

SEVESO - Categories / dangerous substances

E1 - ENVIRONMENTAL HAZARDS, Qualifying quantity (lower-tier): 100 tonnes / (upper-tier): 200 tonnes

#### Additional information

Not applicable

#### Sources

The employer is obliged to continuously keep abreast of the current regulations pertaining to the activity in question.

Control of Major Accident Hazards (COMAH) Regulations 2015.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

[6] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

CLP Regulation (EC) No 1272/2008, as retained and amended in UK law.

EC-Regulation 1907/2006 (REACH), as amended by UK REACH Regulations SI 2019/758

#### 15.2. Chemical safety assessment

No

#### SECTION 16: Other information

### Full text of H-phrases as mentioned in section 3

H226, Flammable liquid and vapour.

H315, Causes skin irritation.

H318, Causes serious eye damage.

H335, May cause respiratory irritation.

H361f, Suspected of damaging fertility.

H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

#### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container



IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit.

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

**UN = United Nations** 

UVCB = Complex hydrocarbon substance

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

#### Additional information

The classification of the substance/mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP)

### The safety data sheet is validated by

Future Competence Sweden AB

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en

MOPAR SEALANT ATF-RTV Page 12 of 12