

SAFETY DATA SHEET

ACDELCO LIMITED SLIP LUBRICANT

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

ACDELCO LIMITED SLIP LUBRICANT

Product no.

88900330

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Lubricant

Uses advised against

The product may only be used in accordance with the area of application specified above. If, nonetheless, the product is used outside the specified scope, please contact the supplier.

1.3. Details of the supplier of the safety data sheet

Company and address

Klintberg & Way Parts AB

Haukadalsgatan 5 164 40 KISTA Sweden +46 (0)8 6808800 www.kwparts.com E-mail info@kwparts.com Revision 13-02-2022 SDS Version 1.0

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP)

2.2. Label elements

```
Hazard pictogram(s)
Not applicable
Signal word
Not applicable
Hazard statement(s)
Not applicable
Safety statement(s)
General
-
Prevention
-
```

Response



S	to	ra	q	е

Disposal

Disposal

Hazardous substances

Distillates (petroleum), hydrotreated heavy naphthenic;Baseoil - unspecified;[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.]

2.3. Other hazards

Additional labelling

EUH210, Safety data sheet available on request.

Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Distillates (petroleum), hydrotreated heavy	CAS No.: 64742-52-5	50-60%	Asp. Tox. 1, H304	
naphthenic;Baseoil - unspecified;[A complex	EC No.: 265-155-0			
combination of	REACH:			
hydrocarbons obtained by treating a petroleum	Index No.: 649-465-00-7			
fraction with hydrogen in the presence of a catalyst.				
It consists of				
hydrocarbons having carbon numbers				
predominantly in the range of C20 through C50				
and produces a finished				
oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It				
contains relatively few normal paraffins.]				

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available. Other information

No special

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of uncertainty on how to treat an exposed person, call the National Poisons Information Service immediately.

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with



him/her.

Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

Eye contact

To avoid irritation flush with soft water jet or eye wash fluid for at least 5 minutes. In case of persistent symptoms (intense burning, pain, sensitivity to light, visual disturbance) continue flushing and contact/seek a hospital or doctor.

Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

Burns

Not applicable

4.2. Most important symptoms and effects, both acute and delayed

No special

4.3. Indication of any immediate medical attention and special treatment needed

No special

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Always wear gloves and protective clothing when in contact with chemical substances. No specific requirements

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 on "Disposal considerations" in regard of handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

A risk assessment of the handling shall always be prepared based on the specific conditions prevailing at the workplace. The risk assessment shall be used as basis for preparing appropriate instructions for the safe handling



of the product.

Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Keep only in original packaging.

Storage temperature

Dry, cool and well ventilated

Incompatible materials

Strong acids, bases, oxidizing agents and reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

DNEL

Product/substance DNEL Route of exposure Duration	Distillates (petroleum), hydrotreated heavy naphthenic;Baseoil - unspecified;[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.] 740 µg/kgbw/day Oral Long term – Systemic effects - General population
Product/substance DNEL	Distillates (petroleum), hydrotreated heavy naphthenic;Baseoil - unspecified;[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.] 1.19 mg/m ³
Route of exposure Duration	Inhalation Long term – Local effects - General population
Product/substance	Distillates (petroleum), hydrotreated heavy naphthenic;Baseoil - unspecified;[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.]
DNEL	970 μg/kgbw/day
Route of exposure Duration	Dermal Long term – Systemic effects - Workers
Product/substance	Distillates (petroleum), hydrotreated heavy naphthenic;Baseoil - unspecified;[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.]
DNEL Route of exposure	5.58 mg/m³ Inhalation
Duration	Long term – Local effects - Workers



Product/substance	Distillates (petroleum), hydrotreated heavy naphthenic;Baseoil - unspecified;[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.]
DNEL	2.73 mg/m ³
Route of exposure	Inhalation
Duration	Long term – Systemic effects - Workers

PNEC

Product/substance	Distillates (petroleum), hydrotreated heavy naphthenic;Baseoil - unspecified;[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.]
PNEC	9.33 mg/kg
Route of exposure	Predators
Duration of Exposure	

8.2. Exposure controls

Control is unnecessary if the product is used as intended.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

In case of simultaneous exposure to several air pollutants, their combined effects shall be considered. In assessing exposure conditions, the body weight and absorption of certain substances through the skin shall be taken into account in addition to the concentration of air pollutants in inhaled air. The person who plans and carries out the air pollution measurement shall have sufficient knowledge to do so. Measurements shall be taken using appropriate methods and equipment. Exposure measurements relate to conditions during normal operation. Where necessary, they shall also highlight the exposure under other conditions. Exposure measurements shall be taken in the breathing zone on a sufficient number of persons to make it possible to assess the exposure of all exposed persons.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements

Individual protection measures, such as personal protective equipment

Generally

Use only CE marked protective equipment.

Respiratory Equipment

Туре	Class	Colour	Standards
Respiratory protection is not needed in the event			
of adequate ventilation.			

Skin protection



Recommended	Type/Category	Standards		
Dedicated work clothing should be worn.	-	-		R
Hand protection				
Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	> 0,4	> 480	EN374	
Eye protection				
Туре	Standards			
No specific requirements	-			
ECTION 9: Physical and chem	ical properties			
Liquid Colour Amber Odour / Odour threshold Petroleum pH Not applicable Density (g/cm ³) No data available Relative density 0.9 - 0.93 (15.6 °C) Kinematic viscosity 35 mm ² /s (40 °C) Particle characteristics Not applicable				
Melting point/Freezing poin No data available Softening point/range (wax Does not apply to liquid Boiling point (°C) No data available	es and pastes) (°C)			
Vapour pressure No data available Relative vapour density No data available Decomposition temperatur	e (°C)			
Not applicable Data on fire and explosion haz Flash point (°C) 154 Ignition (°C)	ards			



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878
Auto flammability (°C)
No data available
Lower and upper explosion limit (% v/v)
No data available Solubility
Solubility in water
Insoluble
n-octanol/water coefficient
No data available
Solubility in fat (g/L)
No data available
9.2. Other information
Evaporation rate (n-butylacetate = 100) No data available
Other physical and chemical parameters
No data available
SECTION 10: Stability and reactivity
10.1. Reactivity
No data available
10.2. Chemical stability The product is stable under the conditions, noted in section 7 "Handling and storage".
10.3. Possibility of hazardous reactions
No special
10.4. Conditions to avoid
No special
10.5. Incompatible materials
Strong acids, bases, oxidizing agents and reducing agents.
10.6. Hazardous decomposition products The product is not degraded when used as specified in section 1.
The product is not degraded when used as specified in section 1.
SECTION 11: Toxicological information
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008
Acute toxicity
Based on available data, the classification criteria are not met.
Skin corrosion/irritation Based on available data, the classification criteria are not met.
Serious eye damage/irritation
Based on available data, the classification criteria are not met.
Respiratory sensitisation
Based on available data, the classification criteria are not met.
Skin sensitisation
Based on available data, the classification criteria are not met.
Germ cell mutagenicity
Based on available data, the classification criteria are not met. Carcinogenicity
Based on available data, the classification criteria are not met.
Reproductive toxicity
Based on available data, the classification criteria are not met.
STOT-single exposure
Based on available data, the classification criteria are not met.
STOT-repeated exposure
Based on available data, the classification criteria are not met.



Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

No special

Endocrine disrupting properties

No special

Other information

The assessment of the properties of the constituents is based primarily on information in the ECHA database of registered substances, and the classification and labelling register.

SECTION 12: Ecological information

12.1. Toxicity

No data available

- 12.2. Persistence and degradability No data available
- 12.3. Bioaccumulative potential No data available
- 12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Endocrine disrupting properties No special

12.7. Other adverse effects

The assessment of the properties of the constituents is based primarily on information in the ECHA database of registered substances, and the classification and labelling register.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

EWC code

13 02 05* Mineral-based non-chlorinated engine, gear and lubricating oils

15 01 10* Packaging containing residues of or contaminated by dangerous substances

Specific labelling

Before handling waste, see Section 8, Exposure controls/personal protection. Contamination of the product with hazardous substances during use cannot be ruled out and therefore the properties of the waste do not fully correspond to those of the original product. It is therefore always the user's responsibility to classify the waste. Hazardous waste shall be transported to an approved waste facility by an authorised carrier.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

14.1. - 14.4.

Not dangerous goods according to ADR, IATA and IMDG.

ADR/RID

Not applicable

IMDG

Not applicable MARINE POLLUTANT



No IATA Not applicable 14.5. Environmental hazards Not applicable 14.6. Special precautions for user Not applicable 14.7. Maritime transport in bulk according to IMO instruments No data available
SECTION 15: Regulatory information
 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Restrictions for application No special Demands for specific education No specific requirements SEVESO - Categories / dangerous substances Not applicable Additional information Not applicable Sources The employer is obliged to continuously keep abreast of the current regulations pertaining to the activity in question. Regulation (EU) No 1357/2014 of 18 December 2014 on waste. CLP Regulation (EC) No 1272/2008, as retained and amended in UK law. EC-Regulation 1907/2006 (REACH), as amended by UK REACH Regulations SI 2019/758 15.2. Chemical safety assessment No
SECTION 16: Other information
 Full text of H-phrases as mentioned in section 3 H304, May be fatal if swallowed and enters airways. Abbreviations and acronyms ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods



LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit. SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVCB = Complex hydrocarbon substance

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

Not applicable

The safety data sheet is validated by

Future Competence Sweden AB

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en